

Columbines School of Botanical Studies  
Spring Apprenticeship Program  
Trip #10 Pedicularis

June 17, 18, 21, 2016

Middle Elevation Coniferous Woods, Riparian, and Meadow 3750'

<http://www.botanicalstudies.net/botany/plantlists.php>

Family	Genus	Name	Uses
<b>Araceae</b>	Lysichiton americanus (L. americanum)	<b>Skunk Cabbage</b>	+/- Edible
<b>Liliaceae</b>	Clintonia uniflora	<b>Queen's Cup</b>	Edibility Unknown
	Prosartes hookeri (Disporum hookeri)	<b>Fairy Bells</b>	+/- Edible berries
	Streptopus amplexifolius	<b>Twisted Stalk</b>	+/- Edible
	Streptopus lanceolatus (S. roseus)	<b>Rosy Twisted Stalk</b>	+/- Edible
<b>Asparagaceae (Liliaceae)</b>	Maianthemum racemosum (Smilacina racemosa)	<b>Large False Solomon's Seal</b>	Medicinal
	Maianthemum stellatum (Smilacina stellata)	<b>Small False Solomon's Seal</b>	Medicinal
<b>Melanthiaceae (Liliaceae)</b>	Trillium ovatum	<b>Trillium</b>	No Pick
<b>Orchidaceae</b>	Corallorhiza mertensiana	<b>Purple Coral Root</b>	No Pick
<b>Aristolochiaceae</b>	Asarum caudatum	<b>Wild Ginger</b>	Spice, Medicinal
<b>Portulacaceae</b>	Montia cordifolia	<b>Heart Leafed Montia</b>	Choice Edible
<b>Ranunculaceae</b>	Actaea rubra	<b>Baneberry</b>	Poisonous, Medicinal
	Anemone deltoidea	<b>Large Windflower</b>	Poisonous
	Caltha biflora	<b>Marsh Marigold</b>	Edible, Medicinal
	Coptis laciniata	<b>Gold thread</b>	Medicinal
	Ranunculus populago	<b>Marsh Buttercup</b>	Poisonous
<b>Berberidaceae</b>	Achlys triphylla	<b>Vanilla Leaf</b>	Edible
	Berberis nervosa	<b>Oregon Grape</b>	Edible, Medicinal

Columbines School of Botanical Studies  
Spring Apprenticeship Program  
Trip #10 Pedicularis

Family	Genus	Name	Uses
<b>Fumariaceae</b>	Dicentra formosa	<b>Bleeding Hearts</b>	Poisonous
<b>Saxifragaceae</b>	Tiarella trifoliata ssp. unifoliata	<b>Coolwort</b>	Edibility Unknown
<b>Grossulariaceae</b>	Ribes bracteosum Ribes lacustre	<b>Stinking Black Currant</b> <b>Swamp Currant</b>	Edible, Medicinal Edible, Medicinal
<b>Rosaceae</b>	Geum macrophyllum Rubus parviflorus Rubus spectabilis	<b>Avens</b> <b>Thimbleberry</b> <b>Salmon Berry</b>	Medicinal Edible (Choice), Medicinal Edible (Choice), Medicinal
<b>Oxalidaceae</b>	Oxalis oregana	<b>Wood Sorrel</b>	Edible
<b>Violaceae</b>	Viola glabella Viola palustris	<b>Woods Violet</b> <b>Marsh Violet</b>	Edible Edible
<b>Araliaceae</b>	Oplopanax horridum	<b>Devil's Club</b>	Medicinal
<b>Cornaceae</b>	Cornus canadensis	<b>Bunchberry</b>	Edible, Medicinal
<b>Ericaceae</b>	Chimaphila menziesii Chimaphila umbellata Menziesia ferruginea Pyrola secunda Vaccinium ovalifolium	<b>Pipsisewa</b> <b>Small Pipsisewa</b> <b>Fool's Huckleberry</b> <b>One Sided Pyrola</b> <b>Huckleberry</b>	Medicinal Medicinal Poisonous Medicinal Edible (Choice), Medicinal
<b>Primulaceae</b>	Dodecatheon jeffreyi	<b>Shooting Star</b>	Edible
<b>Hydrophyllaceae</b>	Hydrophyllum tenuipes	<b>Waterleaf</b>	Edible
<b>Boraginaceae</b>	Mertensia paniculata	<b>Oregon Bluebells</b>	Edible, Medicinal

Columbines School of Botanical Studies  
 Spring Apprenticeship Program  
 Trip #10 Pedicularis

Family	Genus	Name	Uses
<b>Scrophulariaceae</b>	Pedicularis groenlandica	<b>Elephant's Head</b>	Medicinal
	Pedicularis racemosa	<b>Parrot's Beak</b>	Medicinal
<b>Asteraceae (Compositae)</b>	Agoseris sp.	<b>Mt. Dandelion</b>	Edibility Unknown
	Senecio triangularis	<b>Arrow Leafed Grousel</b>	Poisonous (PA's)
<b>Animal Interactions</b>	Taricha granulosa	<b>Orange Bellied Newt</b>	

**Columbines School of Botanical Studies**  
**Field Trip #10**  
*Pedicularis groenlandica*

Wildcrafting Principle: The *Pedicularis groenlandica* was in full bloom in some spots, in bud in others, and in leaf in other spots in the same meadow. This meadow will not bloom all at once, If you miss the *Pedicularis* in one spot, it will be blooming in another. If you are late to harvest, look in the shadier spots of the meadow. If you are early, look in the sunnier spots.

Cattle and elk graze the area we were in every year starting July. You can use this to help determine how fragile the ecosystem is, what plants can survive grazing, and other ecological information needed for determining how much and in what way to harvest. Also take into account the "damage" from the herds of elk sleeping and eating in these meadows. It may look like damage, but every year the plants come back fresh, with no sign of real damage.

It's easy to gather plants; the hard part is not gathering.

**Botany**

Keyed out: *Anemone deltoidea* to family, *Montia cordifolia*, and *Cornus canadensis*

**Middle Elevation Coniferous Woods**

Located and tasted *Pedicularis racemosa*  
Following game trails

**Middle Elevation Meadows**

*Hydrophyllum tenuipes* vs. poison look alike Ranunculaceae genera (*Ranunculus sp.*,  
*Aconitum columbianum*).

Using game trails to find stands of *Pedicularis groenlandica*.  
Located and tasted *Pedicularis groenlandica*